

**IN THE CLAIMS:**

Please replace the previously submitted copy of the existed claims with the following claims, amended as indicated:

1. (Cancelled)
2. (Currently Amended) A method according to claim 19, wherein said step of determining comprises  
storing in said personal firewall a list of IP addresses of a home network,  
comparing the current IP address of said client computer with said list of IP addresses,  
and  
if the current IP address of said client computer matches one of said addresses on said list, determining said personal firewall to be located in said home network.
3. (Currently Amended) A method according to claim 19, wherein said step of determining comprises  
storing in said client computer an IP address space of a home network,  
comparing the current IP address of said client computer with said IP address space,  
and  
if the current IP address of said client computer matches said IP address space,  
determining said personal firewall to be located in said home network.
4. (Currently Amended) A method according to claim 19, 2 or 3, wherein said step of verifying comprises  
checking availability of said predetermined network element related to the current IP address, said predetermined network element responding only if said personal firewall is located in the network in which it is assumed to be on the basis of the current IP address,  
verifying the current location determined based on said current IP address if said predetermined network element ~~responses~~ responds with a specific identity data.
5. (Original) A method according to claim 4, wherein said specific identity data is a Media Access Control (MAC) address of said predetermined network element.

6. (Original) A method according to claim 4, wherein said predetermined network element is a firewall in said home network.

7. (Currently Amended) A method according to claim 4~~9~~, comprising using said determined and verified location for selecting security rules for controlling said personal firewall in a location-dependent way.

8. (Currently Amended) A method according to claim 4~~9~~, comprising using said determined and verified location for enabling a periodical security rule update enquiry from said personal firewall to the central management, when said personal firewall is in said home network, and for disabling said periodical enquiry, when said personal firewall is outside said home network.

9. (Currently Amended) A method ~~according to claim 1, comprising using said determined and verified location for~~ of detecting location for a personal firewall of a client computer, said method comprising  
determining the current location of said personal firewall based on an Internet Protocol (IP) address currently used by said client computer,  
verifying the current location determined on the basis of the current IP address of said client computer by carrying out a location verification procedure with a predetermined network element,  
sending log files to a centralized log server from said personal firewall when the current location of said client computer is in said home network, said log files containing information on communication transactions in said client computer,  
collecting log files locally at said personal firewall when the current location of said client computer is not in said home network,  
transferring said locally collected log files from said personal firewall to said centralized log server when said client computer is connected to said home network.

10. (Currently Amended) A computer terminal, comprising  
a personal firewall having a mechanism monitoring the current location of said personal firewall based on a Internet Protocol (IP) address currently used by said computer terminal, and

said personal firewall having a mechanism verifying the current location determined on the basis of the current IP address of said client computer by carrying out a location verification procedure with a predetermined network element,

said personal firewall having a mechanism sending log files to a centralized log server from said personal firewall when the current location of said client computer is in said home network, said log files containing information on communication transactions in said client computer,

said personal firewall having a mechanism collecting log files locally at said personal firewall when the current location of said client computer is not in said home network, and

said personal firewall having a mechanism transferring said locally collected log files from said personal firewall to said centralized log server when said client computer is connected to said home network.

11. (Currently Amended) A computer-readable medium, containing a computer software which, when executed in a computer device, causes the computer device to provide a personal firewall routine comprising

determining the current location of said personal firewall based on an Internet Protocol (IP) address currently used by said client computer, and

verifying the current location determined on the basis of the current IP address of said client computer by carrying out a location verification procedure with a predetermined network element,

sending log files to a centralized log server from said personal firewall when the current location of said client computer is in said home network, said log files containing information on communication transactions in said client computer,

collecting log files locally at said personal firewall when the current location of said client computer is not in said home network, and

transferring said locally collected log files from said personal firewall to said centralized log server when said client computer is connected to said home network.